



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ended August 5, 1911—Continued.

Cities.	Popula- tion, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
<i>Cities having less than 25,000 inhabitants—Con.</i>														
Columbus, Ind.		2												
Concord, N. H.	21,497	12										1		1
Cumberland, Md.	21,839	4	2								4	1	10	
Dunkirk, N. Y.		6										1		
Galesburg, Ill.	20,089	6											1	
Gloucester, Mass.	24,398	12												
Harrison, N. J.	14,498	4									2			
Homestead, Pa.	18,713	7	5	1								1		
Hyde Park, Mass.	15,507	4												
Kearny, N. J.	18,659											1	1	
La Fayette, Ind.	12,081	4							2					
Lebanon, Pa.	19,240	6												
Marinette, Wis.	14,610	2												
Marlboro, Mass.	14,579	3									1			
Massillon, Ohio.	13,879	2										1		
Medford, Mass.	23,150	4										1	1	2
Medrose, Mass.	15,715	4			1									
Moline, Ill.	24,199	8						1				1	5	
Montclair, N. J.	21,150	11									1	2		
Morristown, N. J.	12,507	9				1						1	3	1
Nanticoke, Pa.	18,877	4												
Newburyport, Mass.	19,949	5												
North Adams, Mass.	22,019	5												
Northampton, Mass.	19,431	6									3	2		
Palmer, Mass.		1									1			
Peekskill, N. Y.		3												
Plainfield, N. J.	20,550	4									1			
Portsmouth, N. H.	11,209		1	1										
Pottstown, Pa.		8										1	1	
Rutland, Vt.		4				1		3						
Saratoga Springs, N. Y.		1			1							1		
South Bethlehem, Pa.	19,973	10												
Steelton, Pa.	14,246	2	2					3			2			
Wilkinsburg, Pa.	11,080	3					1							
Woburn, Mass.	15,308	5			1									

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES (untabulated)

CALIFORNIA.—Month of May, 1911. Population 2,377,549. Total number of deaths from all causes 2,888, including diphtheria 9, measles 13, scarlet fever 10, tuberculosis 515, typhoid fever 37. Cases reported: Diphtheria 70 in 8 places, measles 449 in 8 places, scarlet fever 130 in 9 places, smallpox 8 in 4 places, typhoid fever 38 in 8 places.

CONNECTICUT.—Month of July, 1911. Population of reporting towns 1,107,061. Total number of deaths from all causes 1,623, including diphtheria 14, measles 6, scarlet fever 8, tuberculosis (pulmonary), 112; typhoid fever 15. Cases reported: Diphtheria 81 in 31 towns, measles 234 in 42 towns, scarlet fever 94 in 31 towns, smallpox 1 (Saybrook), tuberculosis (pulmonary), 125 in 34 towns; typhoid fever 67 in 20 towns.

FLORIDA.—Reports to the State board of health show as follows:

Week ended August 6, 1911: Diphtheria present at 2 localities with 3 cases, malaria at 6 localities with 22 cases, smallpox in 3 counties with 32 cases, tuberculosis at 6 localities with 8 cases, typhoid fever at 9 localities with 15 cases.

Week ended August 13, 1911: Malaria present at 5 localities with 14 cases, smallpox in 1 county with 5 cases, tuberculosis at 7 localities with 10 cases, typhoid fever at 6 localities with 12 cases.

GEORGIA—*Macon*.—Month of July, 1911. Population 40,665. Total number of deaths from all causes 55, including tuberculosis 2, typhoid fever 2.

LOUISIANA—*Shreveport*.—Month of July, 1911. Population 28,015. Total number of deaths from all causes 67, including tuberculosis 9, typhoid fever 2.

MASSACHUSETTS.—Week ended June 3, 1911. Population of reporting towns, 2,542,346. Total number of deaths from all causes 620, including diphtheria 5, measles 6, scarlet fever 2, tuberculosis 54, typhoid fever 3.

Week ended June 10, 1911. Population of reporting towns, 2,542,346. Total number of deaths from all causes 600, including diphtheria 6, measles 5, scarlet fever 1, tuberculosis 60, typhoid fever 3.

Week ended June 17, 1911. Population of reporting towns, 2,542,346. Total number of deaths from all causes 591, including diphtheria 6, measles 3, scarlet fever 4, tuberculosis 60, typhoid fever 1.

Week ended June 24, 1911. Population of reporting towns, 2,542,346. Total number of deaths from all causes 623, including diphtheria 6, measles 7, scarlet fever 2, tuberculosis 67, typhoid fever 4.

Morbidity.—During the 4 weeks ended June 24, 1911, communicable diseases were reported as follows: Diphtheria 563, measles 2,063, scarlet fever 409, typhoid fever 99, tuberculosis pulmonary, 524, tuberculosis other than pulmonary 11, cerebrospinal meningitis 11, whooping cough 308, varicella 178, erysipelas (not notifiable) 1, mumps (not notifiable) 23, ophthalmia neonatorum 95, anterior poliomyelitis 8, smallpox 1, malaria 3, tetanus 4, anthrax 1, malignant pustule 1.

NEBRASKA—*Lincoln*.—Month of April, 1911. Population, 43,973. Total number of deaths from all causes 54, including measles 2, tuberculosis 2. Cases reported: Diphtheria 4, measles 211, scarlet fever 3, smallpox 61.

Month of May, 1911. Total number of deaths from all causes 47, including measles 1, tuberculosis 2. Cases reported: Diphtheria 3, measles 67, scarlet fever 4, smallpox 50.

Month of June, 1911. Total number of deaths from all causes 36, including measles 1, tuberculosis 1, typhoid fever 1. Cases reported: Diphtheria 1, measles 9, scarlet fever 2, smallpox 12.

NEW YORK.—Month of June, 1911. Population, 9,113,614. Total number of deaths from all causes 10,163, including diphtheria 139, measles 136, scarlet fever 97, tuberculosis 1,358, typhoid fever 72. Cases reported: Diphtheria 1,618, measles 5,305, scarlet fever 1,779, smallpox 33, tuberculosis, pulmonary, 2,357, typhoid fever 409.

SOUTH CAROLINA—*Charleston*.—Month of July, 1911. Population, 58,833. Total number of deaths from all causes 133, including smallpox 2, tuberculosis 19, typhoid fever 3. Cases reported: Diphtheria 2, scarlet fever 1, typhoid fever 17.

TEXAS—*Fort Worth*.—Month of July, 1911. Population, 73,312. Total number of deaths from all causes 82, including tuberculosis 8, typhoid fever 4. Cases reported: Diphtheria 7, scarlet fever 9, tuberculosis 8, typhoid fever 6.